



[Knowledge Base](#) > [Gym Lead Machine](#) > [AI Agents & Premium Features](#) > [Premium Workflow Actions](#) (> [Date/Time Formatter Workflow Action](#)

Date/Time Formatter Workflow Action

Laura Gibson - 2026-07-18 - [Premium Workflow Actions](#) (

What is the Date/Time Formatter Workflow Action?

The Date/Time Formatter action is a simple tool that helps you work with dates and times in your automated tasks. Here are the three main features and their steps:

Changing the appearance of dates:

- Pick a date you want to change.
- The tool will figure out the date format for you.
- Choose a new format from a list.
- The tool changes the date to the new format.

Changing the appearance of dates and times:

- Pick a date and time you want to change.
- The tool will figure out the date and time format for you.
- Choose a new format from a list.
- The tool changes the date and time to the new format.

Comparing two dates to see their difference:

- Pick a start date and an end date.
- The tool will figure out the date formats for you.
- The tool calculates the difference in days between the two dates.

With these features, you can easily change how dates and times look or compare two dates, making it simple to share or save information in the correct format.

How to use the Date/Time Formatter Workflow Action?

With the Date/Time Formatter action, you can reformat the Date or Date and Time as required. You can also compare dates using the action.

- Format Date
- Format Date and Time
- Compare Dates

Date/Time Formatter

Format and Compare date fields

×

ACTION NAME

Format and Compare date fields

ACTION TYPE

Select an action type

Type to search

Format Date

Format Date and Time

Compare Dates

Format Date

The Format Date function is a crucial feature of the Date/Time Formatter action, specifically designed to convert date structures from one format to another. Here's a more detailed breakdown of the Format Date function:

Field Selection:

Choose the date field you want to reformat. You can select various sources such as a Specific Date, Current Date, Contact's date fields, date type custom fields, Appointment start/end date, Custom values, or even from an Inbound Webhook Trigger.

FIELD

Select

Specific Date

Current Date

▶ Contact

▶ Appointment

▶ Inbound Webhook Trigger

▶ Custom Fields

▶ Custom Values

Please note: Currently, Contact Custom fields do not support the Date Time structure.

From Format:

If you select a system field like Specific Date, Current Date, Contact's date type standard or custom fields, or Appointment start/end date, the tool will auto-detect the format and preselect it. You must manually select the matching format if you choose a Custom Value or an Inbound Webhook Trigger.

FROM FORMAT

Select From Format



Type to search

ddd MMM DD HH:mm:ss YYYY (Sat Dec 21 13:30:59 2023)

MMMM DD YYYY HH:mm:ss (December 21 2023 13:30:59)

YYYY-MM-DD HH:mm:ss (2023-12-21 13:30:59)

YYYY-MM-DD hh:mm A (2023-12-21 1:30 PM)

DD/MM/YYYY HH:mm:ss (21/12/2023 13:30:59)

To Format:

Select the desired format for the output date from the list of available formats. This is the format the original date will be converted to.

TO FORMAT

ddd MMM DD HH:mm:ss YYYY (Sat Dec 21 13:30:59 2023)



Type to search

ddd MMM DD HH:mm:ss YYYY (Sat Dec 21 13:30:59 2023)

MMMM DD YYYY HH:mm:ss (December 21 2023 13:30:59)


YYYY-MM-DD HH:mm:ss (2023-12-21 13:30:59)

YYYY-MM-DD hh:mm A (2023-12-21 1:30 PM)

DD/MM/YYYY HH:mm:ss (21/12/2023 13:30:59)

Output:

Once you've set up the Format Date function, you can use the result in subsequent actions within your workflow. The output can be accessed using the dynamic variable: `{{datetime_formatter.1.date}}`



Format Date/Time

The Format Date and Time function is an essential feature of the Date/Time Formatter action, designed to convert date and time structures from one format to another. Here's a more detailed explanation of the Format Date and Time function:

Field Selection:

Choose the date and time field you want to reformat. You can select various sources such as a Specific Date and Time, Current Date and Time, Appointment start/end date and time, Custom values, or even from an Inbound Webhook Trigger. Note that Contact Custom fields do not currently support Date Time structures.

FIELD

Select

Specific Date

Current Date

▶ Contact

▶ Appointment

▶ Inbound Webhook Trigger

▶ Custom Fields

▶ Custom Values

Please note: Currently, Contact Custom fields do not support the Date Time structure.

From Format:

The tool will auto-detect the format and preselect if you select a system field like Specific Date and Time, Current Date and Time, or Appointment start/end date and time. You must manually select the matching format if you choose a Custom Value or an Inbound Webhook Trigger.

FROM FORMAT

Select From Format



Type to search

ddd MMM DD HH:mm:ss YYYY (Sat Dec 21 13:30:59 2023)

MMMM DD YYYY HH:mm:ss (December 21 2023 13:30:59)

YYYY-MM-DD HH:mm:ss (2023-12-21 13:30:59)

YYYY-MM-DD hh:mm A (2023-12-21 1:30 PM)

DD/MM/YYYY HH:mm:ss (21/12/2023 13:30:59)

To Format:

Select the desired output date and time format from the list of available formats. This is the format the original date and time will be converted to.

TO FORMAT

ddd MMM DD HH:mm:ss YYYY (Sat Dec 21 13:30:59 2023)



Type to search

ddd MMM DD HH:mm:ss YYYY (Sat Dec 21 13:30:59 2023)

MMMM DD YYYY HH:mm:ss (December 21 2023 13:30:59)

YYYY-MM-DD HH:mm:ss (2023-12-21 13:30:59)


YYYY-MM-DD hh:mm A (2023-12-21 1:30 PM)

DD/MM/YYYY HH:mm:ss (21/12/2023 13:30:59)

Output:

Once you've set up the Format Date and Time function, you can use the result in subsequent actions within your workflow. The output can be accessed using the

dynamic variable: {{datetime_formatter.1.datetime}}



Compare Dates

The Compare Dates function is a valuable feature of the Date/Time Formatter action that allows users to compare two dates and obtain the difference in days. Here's a detailed overview of the Compare Dates function:

Start Date Selection:

Choose the start date from various sources such as a Specific Date, Current Date, Contact's date fields, date type custom fields, Appointment start/end date, Custom values, or an Inbound Webhook Trigger.

Select▲

Specific Date

Current Date

▶ Contact

▶ Appointment

▶ Inbound Webhook Trigger

▶ Custom Fields

▶ Custom Values

Start Date Format:

If you select a system field like Specific Date, Current Date, Contact's date type standard or custom fields, or Appointment start/end date, the tool will auto-detect the format and preselect it. You must manually select the matching format if you choose a Custom Value or an Inbound Webhook Trigger.

START DATE FORMAT

Select Start Date Format



Type to search

YYYY-MM-DD (2023-12-21)

MM-DD-YYYY (12-21-2023)

MM/DD/YYYY (12/21/2023)

MM/DD/YY (12/21/23)

DD-MM-YYYY (21-12-2023)

DD/MM/YYYY (21/12/2023)

DD/MM/YY (21/12/23)

End Date Selection:

Choose the end date from the same sources as the start date (Specific Date, Current Date, Contact's date fields, date type custom fields, Appointment start/end date, Custom values, or from an Inbound Webhook Trigger).

Select▲

Specific Date

Current Date

▶ Contact

▶ Appointment

▶ Inbound Webhook Trigger

▶ Custom Fields

▶ Custom Values

End Date Format:

Like the start date format, the tool will auto-detect the format and preselect it if you choose a system field. You must manually select the matching format for Custom Value or Inbound Webhook Trigger.

END DATE FORMAT

Select End Date Format



Type to search

YYYY-MM-DD (2023-12-21)

MM-DD-YYYY (12-21-2023)

MM/DD/YYYY (12/21/2023)

MM/DD/YY (12/21/23)


DD-MM-YYYY (21-12-2023)

DD/MM/YYYY (21/12/2023)

DD/MM/YY (21/12/23)

Output:

After setting up the Compare Dates function, you can use the result in subsequent actions within your workflow. The output, representing the difference in days, can be accessed using the dynamic variable: `{{datetime_formatter.1.days}}`



Please note: The difference is calculated as End Date - Start Date. You will get a negative value if the Start Date exceeds the End Date. The Compare Dates function is beneficial for users who need to perform date comparisons for various purposes, such as calculating due dates, determining the duration between events, or making decisions based on the time difference between two dates.

Points to remember:

- Format the Inbound Webhook Trigger data to Set Event Start Date, to update Contact Custom Fields, and to compare in If/Else Condition.
- Let's say the date format is MM/DD/YYYY, but you need to send it to an app that formats dates as DD/MM/YYYY; you can use the Date/Time Formatter to change the date format and send it via Custom Webhook.
- Store the custom formatted date time info in Google Sheets
- Use the custom formatted date time info in Email/SMS/Slack
- Compare the Current date(Start Date) with the Invoice Due date(End Date) and use the dynamic value in Email/SMS/Slack,
- Eg: Your Invoice is due in `{{datetime_formatter.1.days}}` days,

- Note: On overdue, that is when the Current Date(Start Date) is greater than the Invoice Due Date(End Date), you will get the result of a negative value

- Tags
- Gym Lead Machine